Proof of the Free Space Condition

Myron W. Evans

Alpha Institute for Advanced Study (AIAS) emyrone@aol.com

Received: revised 16 November, 2004

Proof of the free space condition

$$\omega_b^a = -\kappa \epsilon^a_{bc} q^c$$

This fundamental condition is a solution of:

$$\boxed{R^a_{b} \wedge q^b = \omega^a_{b} \wedge T^b} \tag{1}$$

$$\left(D \wedge \omega_{b}^{a}\right) \wedge q^{b} = \omega_{b}^{a} \wedge \left(D \wedge q^{b}\right) \tag{2}$$

$$(d \wedge \omega_b^a) \wedge q^b + (\omega_c^a \wedge \omega_b^c) \wedge q^b = \omega_b^a \wedge (d \wedge q^b) + \omega_b^a \wedge (\omega_c^b \wedge q^c)$$
 (3)

To Prove:

$$(d \wedge \omega_b^a) \wedge q^b = \omega_b^a \wedge (d \wedge q^b) \tag{4}$$

Proof for a = 1

$$(d \wedge \omega^{1}_{2}) \wedge q^{2} + (d \wedge \omega^{1}_{3}) \wedge q^{3} = \omega^{1}_{2} \wedge (d \wedge q^{2}) + \omega^{1}_{3} \wedge (d \wedge q^{3})$$
 (5)

Eqn. (5) is true if

$$\omega_{2}^{1} = -\kappa \epsilon_{23}^{1} q^{3} = \kappa \epsilon_{123} q^{3} = \kappa q^{3}$$
 (6)

$$\omega_{3}^{1} = -\kappa \epsilon_{32}^{1} q^{2} = \kappa \epsilon_{132} q^{2} = -\kappa q^{2}$$
 (7)

i.e.

$$(d \wedge q^3) \wedge q^2 - (d \wedge q^2) \wedge q^3 = q^3 \wedge (d \wedge q^2) - q^2 \wedge (d \wedge q^3)$$
(8)

$$\implies (d \wedge q^3) \wedge q^2 = -q^2 \wedge (d \wedge q^3)$$

$$-(d \wedge q^2) \wedge q^3 = q^3 \wedge (d \wedge q^2)$$
(9)

To prove

$$\left(\omega^{a}_{c} \wedge \omega^{c}_{b}\right) \wedge q^{b} = \omega^{a}_{b} \wedge \left(\omega^{b}_{c} \wedge q^{c}\right) \tag{10}$$

Proof

For *a*=1, *b*=2, *c*=3;

$$\left(\omega_{3}^{1} \wedge \omega_{2}^{3}\right) \wedge q^{2} = \omega_{2}^{1} \wedge \left(\omega_{3}^{2} \wedge q^{3}\right) \tag{11}$$

where

$$\omega_{2}^{1} = \kappa q^{3}; \quad \omega_{3}^{1} = -\kappa q^{2}$$

$$\omega_{2}^{3} = -\kappa q^{1}; \quad \omega_{3}^{2} = \kappa q^{1}$$

therefore

$$(q^2 \wedge q^1) \wedge q^2 = -q^3 \wedge (q^1 \wedge q^3)$$

i.e.

$$q^{3} \wedge q^{2} = -q^{3} \wedge (-q^{2})$$

$$= q^{3} \wedge q^{2}$$
(12)

For O(3) electrodynamics we choose:

$$\omega_b^a = \frac{1}{2} \kappa \epsilon^a_{bc} q^c \tag{13}$$

in the structure relation:

$$D \wedge q^a = d \wedge q^a + \omega^a_{\ b} \wedge q^b \tag{14}$$

Proof

For *a*=1:

$$D \wedge q^{1} = d \wedge q^{1} + \frac{1}{2} \left(\epsilon^{1}_{23} q^{3} \wedge q^{2} + \epsilon^{1}_{32} q^{2} \wedge q^{3} \right)$$

$$D \wedge q^{1} = d \wedge q^{1} + \kappa q^{2} \wedge q^{3}$$
(15)

In the O(3) circular complex basis this gives O(3) electrodynamics.

This allows the tetrad of the free field to be identified as the potential, and also the spin connection. O(3) electrodynamics is therefore a fundamental theory of general relativity.